

LEGEND:

- MONITORING WELL
- COMPLETED VAP BORING LOCATION
- DITCH WATER SAMPLE LOCATION
- APPROXIMATE SITE PROPERTY BOUNDARY
- APPROXIMATE MARINETTE CITY BOUNDARY
- PHASE 1 ZONE
- PHASE 2 ZONE
- ROAD
- DITCH/STREAM
- WATERBODY

- WS-008 SAMPLE WITH DETECTION ABOVE HEALTH ADVISORY LIMIT FOR PFOS AND PFOA
- WS-009 SAMPLE WITH DETECTION LESS THAN HEALTH ADVISORY LIMIT FOR PFOS AND PFOA
- WS-010 SAMPLE WITH NON-DETECT RESULT FOR PFOS AND PFOA
- WS-099 SAMPLE WITH ANALYTICAL RESULT PENDING

Zone A
Sample IDs

WS-005	WS-036
WS-006	WS-038
WS-007A	WS-039
WS-007B	WS-040
WS-008	WS-041
WS-009	WS-042
WS-010	WS-043
WS-012	WS-045
WS-013	WS-046
WS-014	WS-047
WS-016	WS-048
WS-017	WS-049
WS-018	WS-050
WS-019	WS-051
WS-020	WS-052
WS-021	WS-054
WS-022	WS-055
WS-023	WS-056
WS-024	WS-057
WS-025	WS-058
WS-026	WS-059
WS-027	WS-060
WS-028	WS-061A
WS-029	WS-061B
WS-031	WS-062
WS-032	WS-070
WS-033	WS-091
WS-035	WS-101

Zone A
Sample IDs

WS-063	WS-087
WS-065	WS-088
WS-067	WS-090
WS-068	WS-092
WS-071	WS-096
WS-072	WS-097
WS-073	WS-098
WS-074	WS-099
WS-075	WS-100
WS-077	WS-102
WS-078	WS-104
WS-079	WS-105
WS-080	WS-106
WS-081	WS-109
WS-082	WS-111
WS-082B	WS-115
WS-082C	WS-116
WS-082D	WS-117
WS-084	WS-119
WS-085	WS-121A
WS-086	WS-127
	WS-131

Zone B
Sample IDs

WS-011	
WS-015	
WS-030	
WS-034	
WS-037	
WS-044	
WS-053	
WS-089	

Zone C
Sample IDs


WS-110A	
WS-122	
WS-126	
WS-128	

Zone B
Sample IDs

WS-064	WS-112
WS-066	WS-113
WS-069A	WS-114
WS-069B	WS-118A
WS-076	WS-118B
WS-083	WS-120
WS-093	WS-123
WS-094	WS-124
WS-095	WS-125
WS-103	WS-129
WS-107	WS-130
WS-108	WS-132

NOTES:
 ENVIRONMENTAL PROTECTION AGENCY HEALTH ADVISORY LIMIT FOR PFOS AND PFOA IS 70 PARTS PER TRILLION (PPT)
 PFOA = PERFLUOROCTANOIC ACID
 PFOS = PERFLUOROCTANESULFONIC ACID

3/2/2018



TYCO FIRE PRODUCTS, LP
 MARINETTE, WISCONSIN

**DRINKING WATER WELL
 SAMPLE LOCATIONS**

TOWN OF PESHTIGO PRELIMINARY DRINKING WATER SAMPLE RESULTS - MARCH 7, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	General Well Depth	Detailed Well Depth	Source
WS-005	12/12/2017	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	Shallow	30	-
WS-005 DUP	12/12/2017	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.2	Shallow	30	-
WS-006	12/12/2017	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	521	+, -
WS-007A	12/12/2017	25	< 7.0	< 17	22	7.3 J	< 8.2	Shallow	23	-
WS-007A	1/3/2018	24	< 7.2	< 17	22	6.7 J	< 8.5	Shallow	23	-
WS-007B	12/12/2017	360 D	120	< 17	150 D	90	58	Shallow	46	+, -
WS-007B	1/3/2018	330 D	110	< 17	130 D	82	56	Shallow	46	+, -
WS-008	12/12/2017	550 D	20 J	< 17	170 D	160	23	Shallow	23	-
WS-008	1/3/2018	670 D	20 J	< 16	200 D	180	25	Shallow	23	-
WS-009	12/12/2017	18 J	< 7.0	< 16	5.1 J	< 5.6	< 8.2	Shallow	62	+, -
WS-009	1/12/2018	18 J	< 6.8	< 16	4.9 J	< 5.5	< 8.0	Shallow	62	+, -
WS-010	12/12/2017	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-011	12/12/2017	< 2.9	< 7.0	< 17	< 1.9	< 5.6	< 8.2	Deep	104	+, -
WS-012	12/12/2017	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	510	+, -
WS-013	12/12/2017	9.6 J	< 7.0	< 17	6.7 J	< 5.7	< 8.3	Shallow	15	-
WS-013	1/2/2018	11 J	< 7.6	< 18	9.6 J	< 6.2	< 9.0	Shallow	15	-
WS-013 DUP	1/2/2018	11 J	< 6.7	< 16	9.9	< 5.4	< 7.9	Shallow	15	-
WS-014	12/12/2017	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.8	Deep	264	+, -
WS-015	12/12/2017	< 3.0	< 7.2	< 17	< 2.0	< 5.8	< 8.4	NA	NA	NA
WS-016	12/12/2017	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	Deep	175	-
WS-017	12/12/2017	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	Deep	120	+, -
WS-018	12/12/2017	6.8 J	< 7.0	< 17	3.7 J	< 5.7	< 8.3	Shallow	28	-
WS-018	1/23/2018	20 J	< 7.1	< 17	8.5 J	< 5.8	< 8.4	Shallow	28	-
WS-018 DUP	1/23/2018	18 J	< 7.0	< 17	7.5 J	< 5.6	< 8.2	Shallow	28	-
WS-019	12/13/2017	110	13 J	< 16	51	18 J	12 J	Shallow	20	-
WS-019	1/2/2018	110	12 J	< 17	47	17 J	12 J	Shallow	20	-
WS-020	12/13/2017	< 2.9	< 7.0	< 17	< 2.0	< 5.6	< 8.2	NA	NA	NA
WS-020 DUP	12/13/2017	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	NA	NA	NA
WS-021	12/13/2017	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	114	+, -
WS-022	12/13/2017	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-023	12/13/2017	6.5 J	< 7.2	< 17	2.1 J	< 5.8	< 8.5	Deep	100	-
WS-024	12/13/2017	37	< 7.0	< 16	8.8 J	< 5.6	< 8.2	Shallow	<20	-
WS-025	12/13/2017	21	< 6.8	< 16	10	< 5.5	< 8.0	Shallow	30-40	-
WS-025	1/16/2018	23	< 7.0	< 17	11	< 5.7	< 8.3	Shallow	30-40	-
WS-025 DUP	1/16/2018	22	< 7.1	< 17	10	< 5.8	< 8.4	Shallow	30-40	-

NOTES ARE PROVIDED ON PAGE 6

TOWN OF PESHTIGO PRELIMINARY DRINKING WATER SAMPLE RESULTS - MARCH 7, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	General Well Depth	Detailed Well Depth	Source
WS-026	12/13/2017	< 2.9	< 7.0	< 17	< 2.0	< 5.6	< 8.2	NA	NA	NA
WS-027	12/13/2017	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	NA	NA	NA
WS-028	12/13/2017	< 3.0	< 7.2	< 17	< 2.0	< 5.9	< 8.5	Deep	454	+, -
WS-029	12/14/2017	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	Deep	90	-
WS-030	12/14/2017	36	< 7.1	< 17	< 2.0	< 5.8	< 8.4	Shallow	28	+, -
WS-030 DUP	12/14/2017	38	< 7.0	< 17	< 2.0	< 5.7	< 8.3	Shallow	28	+, -
WS-030	1/12/2018	45	< 6.5	< 15	< 1.8	< 5.2	< 7.6	Shallow	28	+, -
WS-031	12/14/2017	< 2.9	< 7.1	< 17	< 2.0	< 5.8	< 8.4	NA	NA	NA
WS-032	12/14/2017	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-033	12/14/2017	< 2.9	< 7.0	< 17	< 2.0	< 5.6	< 8.2	NA	NA	NA
WS-034	12/14/2017	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Shallow	30-35	-
WS-035	12/14/2017	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-036	12/14/2017	75	13 J	< 16	15	6.5 J	< 7.9	Shallow	<30	-
WS-036	1/2/2018	72	12 J	< 17	15	5.7 J	< 8.3	Shallow	<30	-
WS-036	2/16/2018	60	13 J	< 15	12	< 5.0	< 7.2	Shallow	<30	-
WS-036	2/23/2018	41	8.9 J	< 15	7.8 J	< 5.3	< 7.7	Shallow	<30	-
WS-037	12/14/2017	18 J	< 7.0	< 16	40	< 5.6	< 8.2	Shallow	23	-
WS-038	12/15/2017	39	< 6.7	< 16	5.7 J	< 5.4	< 7.8	Shallow	28	+, -
WS-038	1/11/2018	40	< 6.7	< 16	5.1 J	< 5.4	< 7.9	Shallow	28	+, -
WS-039	12/15/2017	< 3.0	< 7.2	< 17	< 2.0	< 5.8	< 8.5	Deep	80	-
WS-039 DUP	12/15/2017	< 3.0	< 7.3	< 17	< 2.0	< 5.9	< 8.6	Deep	80	-
WS-040	12/15/2017	< 2.8	< 6.7	< 16	< 1.9	< 5.5	< 7.9	Deep	124	+
WS-041	12/15/2017	< 2.9	< 7.0	< 16	< 1.9	< 5.6	< 8.2	NA	NA	NA
WS-042	12/15/2017	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	NA	NA	NA
WS-043	12/15/2017	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA	NA	NA
WS-044	12/16/2017	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	Shallow	28	-
WS-045	12/16/2017	< 2.7	< 6.7	< 16	< 1.9	< 5.4	< 7.8	Deep	180	-
WS-045 DUP	12/16/2017	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	180	-
WS-046	12/16/2017	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA	NA	NA
WS-047	12/16/2017	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	NA	NA	NA
WS-048	12/18/2017	16 J	< 7.1	< 17	2.3 J	< 5.8	< 8.4	Shallow	20	-
WS-048	1/10/2018	12 J	< 6.7	< 16	< 1.9	< 5.4	< 7.9	Shallow	20	-
WS-049	12/18/2017	6.7 J	< 6.5	< 15	3.2 J	< 5.3	< 7.7	Shallow	24	+
WS-049 DUP	12/18/2017	6.7 J	< 6.4	< 15	3.0 J	< 5.2	< 7.6	Shallow	24	+
WS-050	12/18/2017	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	Deep	90	-
WS-051	12/19/2017	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	Deep	107	+, -

NOTES ARE PROVIDED ON PAGE 6

TOWN OF PESHTIGO PRELIMINARY DRINKING WATER SAMPLE RESULTS - MARCH 7, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	General Well Depth	Detailed Well Depth	Source
WS-052	12/18/2017	410 D	8.0 J	< 15	100 D	57	23	Shallow	22	-
WS-052	1/2/2018	410 D	7.9 J	< 17	100 D	55	24	Shallow	22	-
WS-052	2/7/2018	420 D	12 J	< 14	110 D	63	30	Shallow	22	-
WS-052	2/14/2018	360 D	12 J	< 14	96 D	66	37	Shallow	22	-
WS-052 DUP	2/14/2018	340 D	14 J	< 15	94 D	67	36	Shallow	22	-
WS-052	2/16/2018	340 D	11 J	< 15	92 JD	65	32	Shallow	22	-
WS-052	2/21/2018	380 D	12 J	< 15	100 D	69	36	Shallow	22	-
WS-053	12/20/2017	3.9 J	< 6.7	< 16	< 1.9	< 5.4	< 7.9	Shallow	30	+, -
WS-053	1/10/2018	4.2 J	< 7.1	< 17	< 2.0	< 5.7	< 8.3	Shallow	30	+, -
WS-054	12/20/2017	44	< 6.8	< 16	3.0 J	< 5.5	< 8.0	NA	NA	NA
WS-054 DUP	12/20/2017	40	< 6.7	< 16	< 1.9	< 5.4	< 7.8	NA	NA	NA
WS-054	1/12/2018	49	< 6.8	< 16	3.0 J	< 5.5	< 8.0	NA	NA	NA
WS-055	12/27/2017	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	Shallow	<60	-
WS-056	12/27/2017	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	495	+, -
WS-056 DUP	12/27/2017	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.2	Deep	495	+, -
WS-057	1/2/2018	95	13 J	< 16	25	13 J	< 7.7	Shallow	NA	NA
WS-057	1/18/2018	87	14 J	< 17	24	12 J	< 8.5	Shallow	NA	NA
WS-057 DUP	1/18/2018	86	13 J	< 17	23	13 J	< 8.3	Shallow	NA	NA
WS-058	1/3/2018	380 D	46	< 17	170 D	54	19 J	Shallow	NA	NA
WS-058	1/18/2018	400 D	49	< 17	180 D	57	20 J	Shallow	NA	NA
WS-058	2/7/2018	390 D	< 6.0	< 14	180 D	49	19	Shallow	NA	NA
WS-058	2/14/2018	320 D	59	< 15	140 D	58	24	Shallow	NA	NA
WS-058	2/21/2018	330 D	58	< 16	150 D	56	24	Shallow	NA	NA
WS-059	1/3/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	125	+, -
WS-060	1/3/2018	15 J	< 6.7	< 16	9.1 J	< 5.4	< 7.9	Shallow	25-30	-
WS-061A	1/3/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	124	+, -
WS-062	1/9/2018	30 J	< 6.8 UJ	< 16 UJ	8.9 J	< 5.5 UJ	< 8.0 UJ	Shallow	15	-
WS-063	1/9/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	124	+, -
WS-063 DUP	1/9/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	124	+, -
WS-064	1/9/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Shallow	25	-
WS-065	1/9/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	Deep	95	+, -
WS-066	1/9/2018	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	Deep	77	+, -
WS-067	1/9/2018	< 2.6	< 6.3	< 15	< 1.8	< 5.1	< 7.4	NA	NA	NA
WS-068	1/9/2018	31	< 6.4	< 15	9.4	6.1 J	< 7.5	Shallow	30	-
WS-069A	1/9/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.8	< 7.0	Deep	520	+, -
WS-069B	1/9/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	Shallow	20	-

NOTES ARE PROVIDED ON PAGE 6

TOWN OF PESHTIGO PRELIMINARY DRINKING WATER SAMPLE RESULTS - MARCH 7, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	General Well Depth	Detailed Well Depth	Source
WS-070	1/9/2018	260 D	24 J	< 15	92 D	43	17 J	Shallow	NA	NA
WS-070	1/24/2018	290 D	23 J	< 16	100 D	47	16 J	Shallow	NA	NA
WS-070 DUP	1/24/2018	280 D	24 J	< 16	99 D	47	16 J	Shallow	NA	NA
WS-071	1/10/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	Shallow	40	-
WS-071 DUP	1/10/2018	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	Shallow	40	-
WS-072	1/10/2018	< 2.6	< 6.2	< 15	< 1.7	< 5.0	< 7.3	NA	NA	NA
WS-073	1/10/2018	< 2.5	< 6.2	< 15	< 1.7	< 5.0	< 7.2	Deep	110	+, -
WS-074	1/10/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.5	Deep	182	+, -
WS-075	1/10/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.6	Deep	100	+, -
WS-076	1/10/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.1	< 7.5	Deep	78	+, -
WS-077	1/10/2018	< 2.5	< 6.2	< 15	< 1.7	< 5.0	< 7.3	Deep	120	-
WS-078	1/10/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.4	Deep	129	+, -
WS-079	1/10/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	Deep	97	+
WS-080	1/10/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	NA	NA	NA
WS-081	1/10/2018	< 3.9	< 9.4	< 22	< 2.6	< 7.6	< 11	Shallow	NA	NA
WS-082	1/10/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.8	< 8.4	NA	NA	NA
WS-082B	1/27/2018	11 J	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Shallow	19	-
WS-082C	1/27/2018	4.9 J	< 6.7	< 16	< 1.9	< 5.4	< 7.8	Shallow	20	-
WS-082D	1/27/2018	1900 D	< 6.9	< 16	46	< 5.6	< 8.1	Shallow	28	+, -
WS-083	1/11/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.2	Deep	400	-
WS-084	1/11/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.2	Deep	122	+, -
WS-084 DUP	1/11/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	Deep	122	+, -
WS-085	1/11/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	118	+, -
WS-086	1/11/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-087	1/11/2018	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	Shallow	20	-
WS-088	1/11/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Shallow	25	-
WS-089	1/12/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Shallow	64	+, -
WS-090	1/12/2018	290 D	< 6.8	< 16	21	16 J	< 8.0	Shallow	31	+, -
WS-090 DUP	1/12/2018	300 D	< 6.8	< 16	21	16 J	< 7.9	Shallow	31	+, -
WS-090	1/31/2018	310 D	< 6.8	< 16	23	17 J	< 8.0	Shallow	31	+, -
WS-091	1/12/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	NA	NA	NA
WS-092	1/16/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Shallow	10	-
WS-093	1/18/2018	< 3.0	< 7.2	< 17	< 2.0	< 5.9	< 8.5	Shallow	45	+, -
WS-094	1/19/2018	< 2.4	< 5.8	< 14	2.4 J	< 4.7	< 6.9	Shallow	NA	NA
WS-094 DUP	1/19/2018	< 2.4	< 5.8	< 14	2.4 J	< 4.7	< 6.8	Shallow	NA	NA

NOTES ARE PROVIDED ON PAGE 6

TOWN OF PESHTIGO PRELIMINARY DRINKING WATER SAMPLE RESULTS - MARCH 7, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	General Well Depth	Detailed Well Depth	Source
WS-095	1/23/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	NA	NA	NA
WS-096	1/24/2018	87	< 6.9	< 16	8.1 J	6.6 J	< 8.1	Shallow	27	-
WS-096	2/7/2018	95	< 6.3	< 15	7.8 J	6.7 J	< 7.4	Shallow	27	-
WS-097	1/24/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-098	1/27/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.2	Deep	100	+, -
WS-099	1/27/2018	4.1 J	< 6.6	< 16	< 1.9	< 5.4	< 7.8	Shallow	18	-
WS-099 DUP	1/27/2018	4.1 J	< 6.7	< 16	< 1.9	< 5.4	< 7.9	Shallow	18	-
WS-100	1/30/2018	7.7 J	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-101	1/30/2018	14 J	27 J	< 16	18	< 5.5	12 J	Shallow	20	-
WS-101 DUP	1/30/2018	13 J	29 J	< 16	18	< 5.4	11 J	Shallow	20	-
WS-102	1/31/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-103	2/2/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.2	Deep	622	+
WS-104	2/2/2018	< 20 UB	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	>100	-
WS-104 DUP	2/2/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	>100	-
WS-105	2/2/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.8	< 8.4	Deep	142	+
WS-106	2/2/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.2	Shallow	18	-
WS-107	2/2/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	Deep	109	+, -
WS-108	2/3/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-109	2/3/2018	< 20 UB	< 6.8	< 16	2.9 J	< 5.5	< 8.0	NA	NA	NA
WS-110A	2/3/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	Deep	73	+, -
WS-111	2/5/2018	13 J	< 6.8	< 16	4.4 J	< 5.5	< 8.0	Shallow	17	-
WS-112	2/5/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	87	+, -
WS-113	2/5/2018	< 2.9	< 7.0	< 16	< 1.9	< 5.6	< 8.2	Deep	100	+, -
WS-114	2/5/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	400-500	-
WS-115	2/6/2018	11 J	< 7.1	< 17	< 2.0	< 5.8	< 8.4	NA	NA	NA
WS-116	2/6/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	NA	NA	NA
WS-117	2/6/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.4	Deep	121	+, -
WS-117 DUP	2/6/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	Deep	121	+, -
WS-118A	2/6/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Shallow	18	-
WS-118B	2/6/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	Shallow	41	+, -
WS-119	2/6/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-120	2/6/2018	< 2.9	< 7.0	< 16	< 1.9	< 5.6	< 8.2	Deep	127	-
WS-121A	2/6/2018	9.0 J	< 6.7	< 16	3.1 J	< 5.4	< 7.9	NA	NA	NA
WS-122	2/7/2018	< 2.4	< 5.9	< 14	< 1.7	< 4.8	< 7.0	Shallow	20	-
WS-122 DUP	2/7/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	Shallow	20	-

NOTES ARE PROVIDED ON PAGE 6

TOWN OF PESHTIGO PRELIMINARY DRINKING WATER SAMPLE RESULTS - MARCH 7, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	General Well Depth	Detailed Well Depth	Source
WS-123	2/7/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	Deep	98	+, -
WS-123 DUP	2/7/2018	< 2.9	< 7.0	< 16	< 1.9	< 5.6	< 8.2	Deep	98	+, -
WS-124	2/7/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Shallow	28	-
WS-125	2/13/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.1	Shallow	NA	NA
WS-126	2/13/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Shallow	32	+
WS-126 DUP	2/13/2018	6.1 J	< 7.0	< 16	< 1.9	< 5.6	< 8.2	Shallow	32	+
WS-127	2/14/2018	< 3.0	< 7.3	< 17	< 2.0	< 5.9	< 8.6	Deep	112	+
WS-128	2/14/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.1	Shallow	NA	NA
WS-129	2/22/2018	3.3 J	< 6.3	< 15	< 1.8	< 5.1	< 7.4	Shallow	20	-
WS-129 DUP	2/22/2018	3.1 J	< 6.2	< 15	< 1.7	< 5.0	< 7.3	Shallow	20	-

NOTES:

- = Information gathered from sampling log according to homeowners

+ = Information gathered from well construction form

+, - = Information gathered from well construction form, but information also available from sampling log

Detections are boldfaced

< = Compound not detected at method detection limit

J = Compound was detected; however, the reported numerical value is estimated

UJ = Compound was not detected; however, the method detection limit is estimated

D = Dilution required for sample analysis

DUP = Duplicate sample result

PFOA = Perfluorooctanoic acid

PFOS = Perfluorooctanesulfonic acid

PFBS = Perfluorobutanesulfonic acid

PFHpA = Perfluoroheptanoic acid

PFHxS = Perfluorohexanesulfonic acid

PFNA = Perfluorononanoic acid